

Transition Mission-ICD-9 to ICD-10

Clinician Primer *Prevention in ICD10*



July 2015
Bonnie Hoag, RN, CCS-P
Brown Consulting Associates, Inc.

BCA Workshop Partners



- Community Health Plan of Washington
- Central Valley Health Network (California)
- Idaho Medical Association
- Indiana Primary Health Care Association
- Iowa Medical Society
- Kansas Primary Care Association
- Missouri Primary Care Association
- Montana Medical Association
- Ohio Association of Community Health Centers
- West Virginia Primary Care Association

Today's Agenda



1. BCA Comments
2. ICD-10 and Clinical Documentation
3. Preventive Code "Search"
4. Coding Scenario Practice
5. BCA Paper Search-Tool

Brown Consulting Associates Commentary

July 15 2015

1. Clinicians are expected to be Coders.
2. ICD-9 data reveals nonspecific codes 50% of the time.
3. EMR companies assure ease-of-transition indicating previously-used ICD9s will be mapped to ICD10.
4. Clinicians object to the "search" work effort.
5. In some cases, non-clinician data is mapped to the clinician's Assessment & Plan.
6. Be certain your EMR is printing the actual code description in your Assessment and Plan.

ICD-10 Contains 65,000 Codes *However...*

Clinicians use the same 50 codes 80 percent of the time.

Focus on what matters to you!

50 Codes
80%

Brown Consulting Associates, Inc. 2015

5

BCA's ICD-10 Suggestions for Clinicians

Documentation Improvement & ICD-10

1. **Improve** diagnosis code choices now, in ICD-9, to make your transition to ICD-10 easier.
2. **Assign** diagnoses that accurately represent the complexity of the patient you are seeing... every patient, every visit.
2. **Write** your Assessment & Plan to represent a digital picture of your concerns for the patient.
4. **Realize** how details required in ICD-10 code selection will improve your medical record quality.

Brown Consulting Associates, Inc. 2015

6

Disclaimer!!

The following slides are for use during this diagnosis code assigning workshop. These are to be considered coding and documentation *scenarios* rather than full visit records.

While they have been created from actual clinic notes, they are not assumed to be the full content of today's visit.

#1 Well Child - *Story*

Medical Record Story Summary

ICD-9: 6 year new patient to clinic for WCC evaluation. Child under 5% on growth chart. Interview with Mom reveals no health care past two years... was put on thyroid as infant which Mom stopped at age 2.

DX: WCC V20.2

Obvious growth retardation, discussed with Pediatric Endocrinologist. Labs ordered & referral.

ICD-10: 6 year new patient to clinic for WCC...under 5% on growth chart...stopped thyroid at age 2.

Assessment

- 1. WCC**
- 2. Growth retardation**
- 3. Screening labs**

WCC w/growth retardation discussed w/Pediatric Endocrin., labs ordered and referral made.

Documentation Element - WCC

1. Additional specificity - "with findings"
1. + Identify with code, the findings

#1 Well Child - Search

A cloud-based Dx coding search tool
(available for purchase, works with EMRs)

Powered by IMO[®]Problem Terminology

WELL CHILD ABN Search 20 Hide filter options

☐ Filter by patient age | ☐ Filter by patient gender

- + Encounter for well child exam with abnormal findings (Z00.121)
- + Encounter for well child visit with abnormal findings (Z00.121)
- + Encounter for WCC (well child check) with abnormal findings (Z00.121)

Powered by IMO[®]Problem Terminology

GROWTH RETARDATION Search 20 H

☐ Filter by patient age | ☐ Filter by patient gender

- + Growth retardation (R62.50)
- + Growth retardation, alopecia, pseudoanodontia, and op (Q87.89) (specify)
- + Growth retarded (R62.52)

Your code sheet for this training
(BCA will likely change this frequently)

TYPICAL PREVENTIVE EXAMS	ICD-10	ICD-9
General adult med exam (Annual Ex)	Z00.00	
without abnormal findings		V70.0
with abnormal findings	Z00.01	
code also the abnormal finding	code also	
if pap with above, code also	Z12.4	V76.2
Routine "GYN only" exam (with/wo pap)	Z01.419	
without abnormal findings		V72.31
with abnormal findings	Z01.411	
code also the abnormal finding	code also	
WCC without abnormal findings	Z00.129	
WCC with abnormal findings	Z00.121	V20.2
code also the abnormal finding	code also	
Newborn Ck, 1-7 days old (e.g., with/wo)	Z00.110	
if abnormalities, assign add'l code(s)	code also	V20.2 or findings
Newborn Ck, 8-28 days old (e.g., w/color)	Z00.111	
if abnormalities, assign add'l code(s)	code also	

Brown Consulting Associates, Inc. 2015

11

#1 Well Child - Coded

Medical Record Story Summary

6 yo new to clinic for WCC...under 5% on growth chart...stopped thyroid at age 2.

Assessment: 1. WCC with findings
2. Growth retardation

WCC w/growth retardation discussed w/Pediatric Endocrinologist, labs ordered and referral made. I ordered several screening labs including XXX and YYY because I am concerned about.....

Documentation Element - WCC

1. Additional specificity - with findings
1. + Identify with code, the findings

Assessment Diagnosis Coding

1. Encounter for WCC with abnormal findings Z00.121
2. Lack of expected normal physiological development in childhood R62.52
3. Screening for suspected endocrine disorder Z13.29

Clinician *does not* necessarily code screening lab in Assessment

Brown Consulting Associates, Inc. 2015

12

#2 Well Child - Story

Medical Record Story Summary

ICD-9: 3 year new patient to clinic for WCC evaluation. No current complaints. Upon exam left red budging ear drum, has been pulling at ear...

Assessment: WCC V20.2 & Left OM

Normal WCC. OM will be treated with antibiotics in this case, Rest, drink plenty of fluids, may use Tylenol as needed for sore throat.

ICD-10: 3 year new patient to clinic for WCC. No current complaints. Upon exam left red budging ear drum, has been pulling at ear...

Assessment: 1. WCC

2. Left Otitis Media

Normal WCC. OM will be treated with antibiotics in this case, Rest, drink plenty of fluids, may use Tylenol as needed for sore throat.

Documentation Element - WCC

1. Additional specificity - "with findings"
1. + Identify with code, the findings

#2 Well Child - Search

Powered by IMOPROBLEM Terminology

well child Search 20 Hide filter options

☐ Filter by patient age | ☐ Filter by patient gender

- + Well child check (Z00.129)
- + Well child check, newborn 8-28 days old (Z00.111)
- + Well child check, newborn under 8 days old (Z00.110)
- + Well child examination (Z00.129)
- + Well child visit (Z00.129)
- + Well child visit, 2 month (Z00.129)
- + Well child visit, newborn 8-28 days old (Z00.111)
- + Well child visit, newborn under 8 days old (Z00.110)
- + WCC (well child check) (Z00.129)
- + WCC (well child check), newborn 8-28 days old (Z00.111)
- + WCC (well child check), newborn under 8 days old (Z00.110)
- + Encounter for well child exam with abnormal findings (Z00.121)

TYPICAL PREVENTIVE EXAMS	ICD-10	ICD-9
General adult med exam (Annual Ex)	Z00.00	
without abnormal findings		V70.0
with abnormal findings	Z00.01	
code also the abnormal finding	code also	
if pap with above, code also	Z12.4	V76.2
Routine "GYN only" exam (with/wo pap)	Z01.419	
without abnormal findings		V72.31
with abnormal findings	Z01.411	
code also the abnormal finding	code also	
WCC without abnormal findings	Z00.129	
WCC with abnormal findings	Z00.121	V20.2
code also the abnormal finding	code also	
Newborn Ck, 1-7 days old (e.g., w/color)	Z00.110	
if abnormalities, assign add'l code(s)	code also	V20.2 or findings
Newborn Ck, 8-28 days old (e.g., w/color)	Z00.111	
if abnormalities, assign add'l code(s)	code also	

ICD10 Documentation Elements

1. WCC with or without findings
2. + code for additional findings

#2 Well Child - Codes

Medical Record Story Summary

ICD-10: 3 year new patient to clinic for WCC. No current complaints. Upon exam left red budging ear drum, has been pulling at ear...

Assmt 1. WCC
2. Left OM

Normal WCC. OM will be treated with antibiotics in this case, Rest, drink plenty of fluids, may use Tylenol as needed for sore throat.

ICD10 Documentation Elements

1. WCC with or without findings
2. + code for additional findings

I10 Assessment

- | | |
|----------------------------|---------|
| 1. WCC w/abnormal Findings | Z00.121 |
| 2. Left OM, acute | H65.02 |

Brown Consulting Associates, Inc.

15

Critical Thinking: Sports Physical vs WCC

Story 1: 12 year old seen last month for WCC now a sports physical is required.

Assessment:

1. Sports physical, no limitations

Coding 1: Assign code for sports physical only

Story 2: 12 year old overdue for WCC here for sports physical.

Assessment:

1. WCC (WNL)
2. Sports physical, no limitations

Coding 2: Assign code for WCC first, then assign code for sports physical

Story 3: 12 year old overdue for WCC here for sports physical. Problem requiring management found.

Assessment:

1. WCC w/prob.
2. Code problem
3. Sports physical, no limitations

Coding 3: Assign: 1. WCC, 2. problem, then, 3. assign code for sports physical

Brown Consulting Associates, Inc. 2015

16

Critical Thinking: Annual vs. GYN Visits

Story 1: 32 year old

W Pap/Pelvic

Assessment:

1. V70
2. Pap

Coding 1: Assign code for sports physical only

Story 2: 32 year old for annual, OB/GYN NP completed Pelvic four mos ago.

Assessment:

1. V70

Coding 2: Assign code for WCC first, then assign code for sports physical

Story 3: 32 year old seen today for annual GYN exam [only].

Pap done, Birth control

Assessment:

1. V72.31
 2. Birth control
- Do not code the Pap

Coding 3: Assign: 1. WCC, 2. problem, then, 3. assign code for sports physical

#3 Female Annual w/PAP - Story

Medical Record Story Summary

ICD-9: 29 year established patient to clinic for annual exam. Pt has no complaints today. No hx of abnormal PAP. Some cramps with period. Exam normal, PAP obtained today.

DX: V70.0 & V76.2

Counseled on proper diet, continue to exercise 5x week. Labs, lipids, DM.

ICD-10: 29 year established patient to clinic for annual exam. Pt has no complaints today. No hx of abnormal PAP. Some cramps with period. Exam normal, PAP obtained today.

Assmt: 1. Annual Exam

2. Screening PAP

3. Screening labs

Counseled on proper diet, continue to exercise 5x week. Labs, lipids ,DM.

#3 Female Annual w/PAP - Search

Medical Record Story Summary

Powered by IMOProblem (IT) Terminology

WEL ADU Search 20 Hide filter of

☒ Filter by patient age | ☒ Filter by patient gender

- Well adult (Z00.00)
- Well adult exam (Z00.00)
- Well adult health check (Z00.00)
- Well adult on routine health check (Z00.00)
- Encounter for well adult exam with abnormal findings (Z00.01)

TYPICAL PREVENTIVE EXAMS	ICD-10	ICD-9
General adult med exam (Annual Ex)	Z00.00	V70.0
without abnormal findings	Z00.01	
code also the abnormal finding		
if pap with above, code also	Z12.4	V76.2
Routine "GYN only" exam (with/wo pap)	Z01.419	
without abnormal findings	Z01.411	V72.31
with abnormal findings		
code also the abnormal finding		
WCC without abnormal findings	Z00.129	
WCC with abnormal findings	Z00.121	V20.2
code also the abnormal finding		
Newborn Ck, 1-7 days old (e.g., w/color)	Z00.110	V20.2 or findings
if abnormalities, assign add'l code(s)		
Newborn Ck, 8-28 days old (e.g., w/color)	Z00.111	
if abnormalities, assign add'l code(s)		
Other Screening Studies		
Anemia, iron deficient	Z13.0	V78.0
Cardiovascular disorders	Z13.6	V81.2
Developmental d/o childhood	Z13.4	V79.3
Diabetes	Z13.1	V77.1
Heavy metal poisoning (lead)	Z13.88	V82.5
HIV	Z11.4	V73.89
HVP Human papilloma virus	Z11.51	V73.81
Lipoid disorders	Z13.220	V77.91
Osteoporosis	Z13.820	V82.81
Respiratory TB	Z11.1	V74.1
Sexually Transmitted Infection	Z11.3	V74.5
Thyroid disorders	Z13.29	V77.0

Brown Consulting Associates, Inc.

19

#3 Female Annual w/PAP - Codes

Medical Record Story Summary

ICD-10: 29 year established patient to clinic for annual exam. Pt has no complaints today. No hx of abnormal PAP. Some cramps with period. Exam normal, PAP obtained today.

Asmt: 1. Annual Exam
2. Screening PAP
3. Screening labs

Counseled on proper diet, continue to exercise 5x week. Labs, lipids ,DM.

I10 Assessment

1. Routine general medical exam Z00.00
2. Screening cervical pap smear Z12.4
3. Screening lipids Z13.220
4. Screening diabetes Z13.1

Clinician does not necessarily code screening lab in Assessment

Brown Consulting Associates, Inc.

20

#4 GYN Exam - Story

Medical Record Story Summary

ICD-9: 33 yo female presents for GYN exam. No acute complaints. HX reveals multiple sexual contacts over last 6 months Comprehensive GYN exam performed... Pap obtained.

Assmt: 1. GYN exam **V72.31 & V76.2**. Discussed sexual behavior risk as well as nd exposure to nicotine d/t working in a bar. FU in one year. Will contact patient with results of pap once received.

ICD-10: 33 yo female presents for GYN exam. No acute complaints. HX reveals multiple sexual contacts over last 6 months. Comprehensive GYN exam performed,... Pap obtained.

Assessment:

1. GYN exam w/cervical pap smear
2. Screening HPV
3. Screening STI
4. High risk sexual behavior
5. Environmental exposure to nicotine

Discussed sexual behavior risk and patient exposure to nicotine d/t working in a bar. FU in one year. Will contact patient with results.

Documentation Element - WCC

1. Additional specificity - "with findings"
1. + Identify with code, the findings

Brown Consulting Associates, Inc. 2015

21

#4 GYN Exam - Search

Powered by IMO*Problem IT Terminology

ROUTINE GYN Search 20 Hide filter options

☐ Filter by patient age | ☐ Filter by patient gender

☒ Visit for routine gyn exam (Z01.419)

GYNCOLOGICAL EXAMINATION FINDINGS

☐ abnormal findings present

☒ abnormal findings absent

+ Encounter for gynecological examination without abnormal finding (Z01.419)

TYPICAL PREVENTIVE EXAMS	ICD-10	ICD-9
General adult med exam (Annual Ex)	Z00.00	
without abnormal findings	Z00.01	V70.0
with abnormal findings	code also the abnormal finding	
if pap with above, code also	Z12.4	V76.2
Routine "GYN only" exam (with/wo pap)	Z01.419	
without abnormal findings	Z01.411	V72.31
code also the abnormal finding	code also	
WCC without abnormal findings	Z00.129	
WCC with abnormal findings	Z00.121	V20.2
code also the abnormal finding	code also	
Newborn Ck, 1-7 days old (e.g., w/color)	Z00.110	V20.2
if abnormalities, assign add'l code(s)	code also	or findings
Newborn Ck, 8-28 days old (e.g., w/color)	Z00.111	
if abnormalities, assign add'l code(s)	code also	

Powered by IMO*Problem IT Terminology

OCCUPATIONAL EXP TOB Search 20 Hide filter options

☐ Filter by patient age | ☐ Filter by patient gender

+ Occupational exposure to environmental tobacco smoke (Z57.31)

Nicotine Dependence, Exposure and Use	ICD-10	ICD-9
Cigarette, uncomp. (no related illness)	F17.210	
in remission	F17.211	
in withdrawal	F17.213	305.1
Other (e.g. vapor), uncomplicated	F17.290	
in remission	F17.291	
in withdrawal	F17.293	
Chewing tobacco, uncomplicated	F17.220	
in remission	F17.221	
in withdrawal	F17.222	
2nd hand tobacco smoke exposure	Z17.22	
Occupational tobacco smoke exposure	Z57.31	
History of tobacco dependence	Z87.891	V15.82
Tobacco use, [no dependence]	avoid Z72.0	305.1

Brown Consulting Associates, Inc. 2015

22

#4 GYN Exam - Coded

Medical Record Story Summary

ICD-10: 33 yo female presents for GYN exam. No acute complaints. HX reveals multiple sexual contacts over last 6 months. Comprehensive GYN exam performed,... Pap obtained.
Plan: Encouraged continued exercise, seatbelt use. Discussed sexual behavior risk and pts exposure to nicotine d/t working in a bar, difficult to avoid. FU in one year. Will contact patient with results.

Documentation Element - WCC

1. Additional specificity - with findings
1. + Identify with code, the findings

ICD-10 Assessment Diagnosis Coding

- | | | |
|----|--|---------|
| 1. | GYN exam w/cervical pap smear | Z01.419 |
| 2. | Screening HPV | Z11.51 |
| 3. | Screening STI | Z11.3 |
| 4. | High risk sexual behavior | Z72.51 |
| 5. | Occupational exposure to tobacco smoke | Z57.31 |

Clinician does not necessarily code screening lab in Assessment

#5 Contraceptive Management - Story

Medical Record Story Summary

ICD-9: 17-year-old presents for FU of contraception. Not yet sexually active but thinks it might happen soon, doesn't want mom to know... Discussed reproductive life plan. Desires Flu shot today.

DX: CM BCPs V25.9 Flu shot V04.81

After discussing options and pt decides BCPs will be the most successful choice. Counseled re: condom use, STIs

ICD-10: 17-year-old presents for initiation of contraception. Not yet sexually active but thinks it might happen soon, doesn't want mom to know... Discussed reproductive life plan. Desires Flu shot today.

Assmt: 1. CM BCPs

2. Flu shot given

After discussing options and pt decides BCPs will be the most successful choice. Counseled re: condom use, STIs, etc....

#5 Contraceptive Management - Search _a

Powered by IMO*Problem Terminology

CONTRACEPTIVE MAN Search 20 Hide filter options

☐ Filter by patient age | ☐ Filter by patient gender

☒ Contraceptive management (Z30.9)

CONTRACEPTIVE ENCOUNTER TYPE

- ☒ initial Rx for pill
- ☐ initial Rx for injectable
- ☐ initial Rx for IUD
- ☐ initial Rx for other contraceptive
- ☐ initial Rx for unspecified contraceptive
- ☐ insertion of IUD
- ☐ surveillance of pill
- ☐ surveillance of injectable
- ☐ surveillance of other contraceptive
- ☐ surveillance of unspecified contraceptive
- ☐ routine checking of IUD
- ☐ removal and reinsertion of IUD
- ☐ removal of IUD
- ☐ prescription of emergency contraception
- ☐ sterilization
- ☐ counseling and instruction in natural family planning to avoid pregnancy
- ☐ other general counseling and advice
- ☐ other encounter for contraceptive management
- ☐ unspecified encounter
- ☒ Encounter for initial prescription of contraceptive pills (Z30.011)

INITIAL CONTRACEPTION - by method		
Advice only today regarding contraception	Z30.09	V25.09
Oral contraceptive pill	Z30.011	V25.01
Injectable contraceptive	Z30.013	V25.02
IUD prescribed but no insertion today	Z30.014	V25.09
IUD insertion today	Z30.430	V25.11
Other method (other than above, patch/foam etc.)	Z30.018	V25.02
EC Emergency contraception	Z30.012	V25.03
FOLLOW-UP CONTRACEPTION-by method		
Advice only today regarding contraception	Z30.09	V25.09
Oral contraceptive pill	Z30.41	V25.41
Injectable contraceptive	Z30.42	V25.49
IUD: insertion today	Z30.430	V25.11
Interim Follow-up/Routine checking	Z30.431	V25.42
Removal of IUD only today	Z30.432	V25.12
Removal and reinsertion of IUD	Z30.433	V25.13
Other method (other than above, patch/foam etc.)	Z30.49	V25.49
EC Emergency contraception	Z30.012	V25.03

Brown Consulting Associates, Inc.

25

#5 Contraceptive Management - Search _b

IMO Search ICD 10 Test

Powered by IMO*Problem Terminology

flu vac Search 20 Hide filter options

☒ Filter by patient age | ☒ Filter by patient gender

- ☒ Flu vaccine need (Z23)
- ☒ Need for vaccination for H flu type B (Z23)
- ☒ Need for vaccination for H flu type B with pedvaxHIB (Z23)
- ☒ Vac strep pneumoniae-flu (Z23)

IMMUNIZATIONS ANY/ALL		
DTaP	Z23	V06.1
DTaP-HepB-IPV		V06.8
Flu		V04.81
Hepatitis		V05.3
Hib		V03.81
HPV		V04.89
IPV	Z23	V04.0
MMR		V06.4
Pentacel		V06.8
Pneumococcus		V03.82
Shingles		V04.89
Tetanus-diphtheria (Td)		V06.5
Varicella		V05.4

Brown Consulting Associates, Inc.

26

#5 Contraceptive Management - *Codes*

Medical Record Story Summary

ICD-10: 17-year-old presents for initiation of contraception. Not yet sexually active but thinks it might happen soon, doesn't want mom to know... Discussed reproductive life plan. Desires Flu shot today.

Assmt: 1. CM BCPs

2. Flu shot given

After discussing options and pt decides BCPs will be the most successful choice. Counseled re: condom use, STIs, etc....

Assessment/Codes in ICD-10

- | | |
|---|---------|
| 1. Encounter for initiation of oral contraceptive | Z30.011 |
| 2. Flu vaccine | Z23 |

#6 Well Man - *Story*

Medical Record Story Summary

ICD-9: 56 yo presents for routine exam. Complains of testicular pain. Testicular lump found on exam. Otherwise, unremarkable.

Assessment:

1. Well adult exam **V70.0**
2. Testicular lump **608.89**

Ultrasound and labs ordered. FU with patient once results are received. Encouraged patient to quit smoking in the meantime.

ICD-10: 56 yo presents for routine exam. Complains of testicular pain. Testicular lump found on exam. Otherwise, unremarkable.

Assessment:

1. Annual w/abnormal findings
2. Testicular mass/lesion
3. Nicotine dependence

Ultrasound and labs ordered. FU with patient once results are received. Encouraged patient to quit smoking in the meantime.

#6 Well Man - Search _a

Powered by IMO Problem Terminology

WELL ADULT ABNORMAL Search [20] Hide filter options

☐ Filter by patient age | ☐ Filter by patient gender

☒ Encounter for well adult exam with abnormal findings (Z00.01) (specify)

Back to Search Results

IMO Term: Encounter for well adult exam with abnormal findings

ICD-9-CM Mappings:

Preferred ICD-9-CM Code: V70.0 Routine general medical examination at a health care facility

Secondary ICD-9-CM Code(s): 796.4 Other abnormal clinical finding

ICD-10-CM Mappings:

Preferred primary ICD-10-CM Code: + Z00.01 Encounter for general adult medical examination with abnormal findings

Secondary ICD-10-CM Code(s): + R68.89 Other general symptoms and signs

TYPICAL PREVENTIVE EXAMS	ICD-10	ICD-9
General adult med exam (Annual Ex) without abnormal findings	Z00.00	V70.0
with abnormal findings	Z00.01	
code also the abnormal finding		
if pap with above, code also	Z12.4	V76.2
Routine "GYN only" exam (with/wo pap) without abnormal findings	Z01.419	
with abnormal findings	Z01.411	V72.31
code also the abnormal finding		
code also	Z00.129	
WCC without abnormal findings	Z00.121	V20.2
WCC with abnormal findings	Z00.121	
code also the abnormal finding		
Newborn Ck, 1-7 days old (e.g., wt/color) if abnormalities, assign add'l code(s)	Z00.110	V20.2 or findings
Newborn Ck, 8-28 days old (e.g., wt/color) if abnormalities, assign add'l code(s)	Z00.111	
code also		

Brown Consulting Associates, Inc.

29

#6 Well Man - Search _b

Powered by IMO Problem Terminology

TESTICULAR LUMP Search [20] Hide filter options

☐ Filter by patient age | ☐ Filter by patient gender

☒ Testicular lump (N50.8)

☒ History of testicular lump (Z87.438)

Powered by IMO Problem Terminology

NICOTINE DEP Search [20] Hide filter options

☐ Filter by patient age | ☐ Filter by patient gender

☒ Nicotine dependence with nicotine-induced disorder (F17.209) .420

☒ Nicotine dependence with withdrawal (F17.203) .420

☒ Cigarette nicotine dependence with nicotine-induced disorder (F17.219) .420

☒ Cigarette nicotine dependence with withdrawal (F17.213) .420

☒ Chewing tobacco nicotine dependence with nicotine-induced disorder (F17.229) .420

☒ Chewing tobacco nicotine dependence with withdrawal (F17.223) .420

☒ Nicotine dependence (F17.200)

NICOTINE PRODUCT TYPE

☒ cigarettes

☐ chewing tobacco

☐ other

☐ unspecified

SUBSTANCE USE STATUS

☐ in remission

☐ in withdrawal

☒ uncomplicated

☐ other nicotine-induced disorder

☐ unspecified nicotine-induced disorder

☒ Cigarette nicotine dependence without complication (F17.210)

Brown Consulting Associates, Inc.

30

#6 Well Man - Coded

Medical Record Story Summary

ICD-10: 56 yo presents for routine exam. Complains of testicular pain. Testicular lump found on exam. Otherwise, unremarkable.

Assmt: 1. Well adult exam w/abnormal findings
2. Testicular mass/lesion
3. Nicotine dependence

Ultrasound and labs ordered. FU with patient once results are received. Encouraged patient to quit smoking in the meantime.

Documentation Element - WCC

1. Additional specificity - with findings
1. + Identify with code, the findings

Assessment Diagnosis Coding

- | | |
|--------------------------------------|---------|
| 1. Adult exam with abnormal findings | Z00.001 |
| 2. Testicular mass/lesion | N50.8 |
| 3. Nicotine Dependence | F17.210 |

Clinician does not necessarily code screening lab in Assessment

#7 Foster Well Child - Story

Medical Record Story Summary

ICD-9: 8 year new patient to clinic for WCC evaluation. Caregiver reveals pt is foster child in new home that has never received immunizations...very limited history..Normal exam...

Assessment:

1. WCC **V20.2**

Updated immunizations. FU 1 yr.

ICD-10: 8 year new patient to clinic for WCC evaluation. Caregiver reveals pt is foster child in new home that has never received immunizations...very limited history..Normal exam...

Assessment:

1. WCC
2. Underimmunized
3. Foster care status

Updated immunizations. FU in 1 year.

Documentation Element - WCC

1. Additional specificity - "with findings"
1. + Identify with code, the findings

#7 Foster Well Child - *Search*

WCC

Search

20

Hide filter options

☐ Filter by patient age | ☐ Filter by patient gender

+ WCC (well child check) (Z00.129)

+ WCC (well child check), newborn 8-28 days old (Z00.111)

+ WCC (well child check), newborn under 8 days old (Z00.110)

+ Encounter for WCC (well child check) with abnormal findings (Z00.121)

UNDERIMMUNIZATION

Search

☐ Filter by patient age | ☐ Filter by patient gender

+ Underimmunization status (Z28.3)

+ H/O underimmunization status (Z28.3)

FOSTER

Search

☐ Filter by patient age | ☐ Filter by patient gender

+ Foster care (status) (Z62.21)

Brown Consulting Associates, Inc. 2015

33

#7 Foster Well Child - *Coded*

Medical Record Story Summary

ICD-10: 8 year new patient to clinic for WCC evaluation. Caregiver reveals pt is foster child in new home that has never received immunizations...very limited history..Normal exam... Updated immunizations today and FU in 1 year.

Assessment Diagnosis Coding

1. Well Child Exam without abnormal findings Z00.129
2. Underimmunization status Z28.3
3. Child in foster care Z62.21

Clinician does not necessarily code screening lab in Assessment

Brown Consulting Associates, Inc. 2015

34

#9 Childhood Obesity - Story

Medical Record Story Summary

S & O: 9 year old, otherwise healthy comes in today with Mom who is concerned about her weight...Hx and Ex done. Her BMI is 96 percentile. Detailed review of habits...

Assessment: Childhood obesity

Plan: After counseling with focus on "5201" diet and exercise modification to avoid weight gain. Child will keep a log. Return one month.

FYI 5201 =
5 servings vegetables
2 hours of screen
Zero sugar
1 hour physical activity

Documentation Elements/Considerations

1. Assign code for obesity
2. Assign additional code for the pediatric BMI

#9 Childhood Obesity - Search

Medical Record Story Summary

Powered by IMOPROBLEM Terminology

PEDIATRIC OBESITY 20

☐ Filter by patient age | ☐ Filter by patient gender

- + Dwarfism-hepatomegaly-obesity-juvenile diabetes syndrome (E34.9) .245
- + Pediatric obesity (E66.9)
- + Obesity, pediatric (E66.9)
- + **Obesity, pediatric, BMI 95th to 98th percentile for age (E66.9) (specify)**
- + BMI (body mass index) pediatric, > 99% for age, obese child, tertiary care intervention (Z68.54)
- + BMI (body mass index), pediatric 95-99% for age, obese child structured weight management/multidisciplinary intervention category (Z68.54)
- + Childhood obesity (E66.9)
- + Childhood obesity, BMI 95-100 percentile (E66.9) (specify)
- + Obesity, childhood (E66.9)
- + Body mass index > 99% for age, obese child, tertiary care intervention (Z68.54)

Powered by IMOPROBLEM Terminology

[Back to Search Results](#)

IMO Term: Obesity, pediatric, BMI 95th to 98th percentile for age (E66.9)

ICD-9-CM Mappings:
Preferred ICD-9-CM Code: 278.00 Obesity, unspecified
Secondary ICD-9-CM Code(s): V85.54 BMI,pediatric >= 95%

ICD-10-CM Mappings:
Preferred primary ICD-10-CM Code: **E66.9 Obesity, unspecified**
Secondary ICD-10-CM Code(s): **Z68.54 Body mass index (BMI) pediatric, greater than or equal to 95th percentile for age**

Preferred SNOMED CT: Childhood obesity - 444862003 (is broader (less specific) than)
Other SNOMED CT Code(s): Increased body mass index - 48499001 (is broader (less specific) than)

#9 Childhood Obesity - *Coded*

Medical Record Story Summary

S&O: 9 yo, otherwise healthy comes in today with Mom who is concerned about her weight...Hx and Ex done, essentially normal. Her BMI is 96 percentile. Detailed review of habits...

Assessment: Childhood obesity & BMI

Plan: After counseling with focus on "5201" diet and exercise modification to avoid weight gain. Child will keep a log. Return one month.

E66.9 = Obesity, pediatric

Z68.54 = BMI equal to or greater than 95th percentile for age (Pediatrics)

#10 Medicare Breast/pelvic - *Story*

Extra! Extra!

ICD-9: 70 yo Medicare patient who was seen last week for HTN and DM returns today, at my request, because she has not had a pap and breast exam, and in her case she should. GYN Hx and breast and pelvic exam completed today.

Assessment:

1. Routine breast and pelvic

We will advise her of pap results and she will return as planned for her chronic disease management.

ICD-10: 70 yo Medicare patient who was seen last week for HTN and DM returns today, at my request, because she has not had a pap and breast exam, and in her case she should. GYN Hx and breast and pelvic exam completed today.

Assessment:

1. Routine breast and pelvic

We will advise her of pap results and she will return as planned for her chronic disease management.

10. Medicare Breast & Pelvic - Coding

Extra! Extra!

ICD-10: 70 yo Medicare patient who was seen last week for HTN and DM returns today, at my request, because she has not had a pap and breast exam, and in her case she should. GYN Hx and breast and pelvic exam completed today.

Assessment:

1. Routine breast and pelvic

We will advise her of pap results and she will return as planned for her chronic disease management.

TYPICAL PREVENTIVE EXAMS		
	ICD-10	ICD-9
General adult med exam (Annual Ex)		
without abnormal findings	Z00.00	V70.0
with abnormal findings	Z00.01	
code also the abnormal finding		
if pap with above, code also	Z12.4	V76.2
Routine "GYN only" exam (with two pap)		
without abnormal findings	Z01.419	V72.31
with abnormal findings	Z01.411	
code also the abnormal finding		

MEDICARE PREVENTION DX for VISITS & SCREENING		
	ICD-10	ICD-9
For Medicare's Welcome to Medicare Visit	Z00.00	V70.0
For Medicare's Annual Visits	Z00.8	V70.8
Medicare's Breast & Pelvic w/abn findings (G0101)	Z01.411	V72.31
Medicare's Breast & Pelvic w/o abn findings (G010)	Z01.419	
It done for qualifying "high risk" patient	Z01.89	V15.89
Screening cervix pap	Z12.4	V76.2
Screening vaginal pap	Z12.72	V76.47
Special screening mal. neo other sites	Z12.89	V76.49
Screening breast exam (no mammo)	Z12.39	V76.10
for high risk patient (w/mammo)	Z12.31	V76.11

Brown Consulting Associates, Inc.

39

Medicare Hepatitis C Virus Screening

Ordering Guidelines

- Adults at high risk for HCV infection. "High risk" is defined as persons with a current or past history of illicit injection drug use, and persons who have a history of receiving a blood transfusion prior to 1992. Repeat screening for high risk persons is **covered annually only** for persons who have had **continued illicit injection** drug use since the prior negative screening test.
- Adults who do not meet the high risk definition as defined above, but who were born from 1945 through 1965. A single, **once-in-a-lifetime screening** test is covered for these individuals.

ICD10: Z72.89 - Lifestyle Problems

- Behavior
 - drug seeking Z72.89
 - self-damaging (life-style) Z72.89
- Problem (with) (related to)
 - behavioral (adult) F69
 - drug seeking Z72.89
 - life-style Z72.9
 - self-damaging behavior NEC Z72.89
 - specified NEC Z72.89
- Self-damaging behavior (life-style) Z72.89

ICD10: F19.20 - ... Psychoactive

substance abuse, uncomplicated

Brown Consulting Associates, Inc.

40

Take Home - What Can You Do Now?

1. **Improve your ICD-9 Coding**, become familiar with details of MDD and anxiety coding.
2. Use **paper tools** to improve current Dx coding.
3. Improve your **Assessment/Plan**; - excellent detail, *e.g., stable, improving, worsening. Routinely document “without complications” when that is the case.*
4. Improve the quality of information in your EMR **Problem List**
5. Explore **search functions** in your EMR.
6. Work with **coders**. Determine a “work flow” whereby coders can help with “tricky” coding situations.

Brown Consulting Associates, Inc. 2015

41

References

- ICD-10-CM Code Book
- ICD-9-CM AHA Coding Clinics
- American Academy of Pediatrics
 - AAP News 2011; 32:10; doi:10.1542/aapnews.2011323-10
- American Academy of Family Physicians
 - American Family Physicians, Vol. 84, No. 7, Oct. 1, 2011
- AAFP *Summary of Clinical Preventive Service Recommendation*
- CMS/ICD-10-CM
- CDC/ICD-10-CM Section I & Section IV Guidelines <http://www.cdc.gov/obesity/childhood.html>
- Intelligent Medical Objects <http://www.e-imo.com>

Brown Consulting Associates, Inc.

42



*Any of Your Coding Questions
Any Time!*

codingquestions@codinghelp.com

General Disclaimer

- The content of this presentation has been abbreviated for a focused presentation for a specific audience. Verify all codes and information in a current code book.
- This information is considered valid at the time of presentation but changes may occur through the year.
- Information presented is not to be considered legal advice or payment advice.
- Brown Consulting does not provide legal advice or billing advice.
- Third-party payment guidelines vary. Confirm payment guidelines with your payers of interest.